

LOS ANGELES UNIFIED SCHOOL DISTRICT

MEDICAL SERVICES DIVISION





Name:		Date of Birth:
Job Title:		Phone:
Social Security No:	or Employee No:	Email Address:
Check One: ☐ The patient does no	CULOSIS CERTIFICAT of have TB risk factors per the ADULT TUBERO	ULOSIS RISK ASSESSMENT.
☐ The patient had a no APPLICANTS :	egative skin or blood test on Date of test must be within 60 days prior to date	of hire. (date).
*Please note that tests shall	APPLICANTS: Date of x-ray must be with not be performed during work hours. Illness es not have risk factors, or if risk factors were losis.	followed by a negative chest x-ray on (date). in six months prior to date of hire. is time may be used as you would for any medical appointment. ire identified, the patient has been examined and determined to
Print Health Care Provider's Name	Title	License No.
Address:	City	Zip Code
Telephone PLEASE SUBMIT A SCANNED C LAUSD Employee Health Service 333 S. Beaudry Avenue, 14-110, 1 Phone: (213) 241-6326 Fax: E-mail: employeehealth@lausd.n	Los Angeles, CA 90017 (213) 241-8918 net	MEDICAL FACILITY STAMP (REQUIRED):





Adult Tuberculosis (TB) Risk Assessment Questionnaire¹

(To satisfy California Education Code Section 49406 and Health and Safety Code Sections 121525-121555)

To be administered by a licensed health care provider (physician, physician assistant, nurse practitioner, registered nurse)

- The purpose of this tool is to identify **adults** with infectious tuberculosis (TB) to prevent them from spreading disease.
- Do not repeat testing unless there are new risk factors since the last negative test.
- Do not treat for latent TB infection (LTBI) until active TB disease has been excluded:
 For individuals with signs or symptoms of TB disease or abnormal chest x-ray consistent with TB disease, evaluate for active TB disease with a chest x-ray, symptom screen, and if indicated, sputum AFB smears, cultures and nucleic acid amplification testing.

A negative tuberculin skin test (TST) or interferon gamma release assay (IGRA) does not rule out active TB disease.

Name of	Person Assessed for TB Risk Factors:
Assessme	nt Date: Date of Birth: Employee #:
	History of Tuberculosis Disease or Infection (Check appropriate box below)
	Thistory of Tabercalosis Disease of Infection (Check appropriate box below)
the previo	Yes If there is a documented history of positive TB test or TB disease, then a symptom review and chest x-ray (if none performed in us 6 months) should be performed at initial hire by a physician, physician assistant, or nurse practitioner. If the x-ray does not have evidence of TB, the person is no longer required to submit to a TB risk not or repeat chest x-rays.
	No (Assess for Risk Factors for Tuberculosis using box below)
	TB testing is recommended if <u>any</u> of the 3 boxes below are checked
	One or more sign(s) or symptom(s) of TB disease TB symptoms include prolonged cough, coughing up blood, fever, night sweats, weight loss, or excessive fatigue.
	irth, travel, or residence in a country with an elevated TB rate for at least 1 month
	Includes countries other than the United States, Canada, Australia, New Zealand, or Western and North European countries.
	Interferon gamma release assay (IGRA) is preferred over tuberculin skin test (TST) for non-US-born persons.
	Close contact to someone with infectious TB disease during lifetime
	Treat for LTBI if TB test result is positive and active TB disease is ruled out

Do Not Submit Adult Tuberculosis (TB) Risk Assessment Questionnaire to LAUSD